



659 Andover Street
Lawrence, MA 01843-1032, USA
Tel: 1.978.687.9200 Fax: 1.978.687.9216

Certificate of Quality

Product Name: Charm SL-KIWI Test

Lot Number: SL-KIWI-155G

Expiration Date: February 2024

Order Code: LF-SLKIWI

This product was quality tested and met Charm Sciences' quality control criteria for release for sale including performance and appearance specifications.

A handwritten signature in black ink, appearing to read "Sam Atoui", is written over a horizontal line.

Name: Sam Atoui

Title: Quality Assurance Documentation Manager

Date: 05/04/2023



659 Andover Street
Lawrence, MA 01843-1032, USA
Tel: 1.978.687.9200 Fax: 1.978.687.9216

CERTIFICATE OF ANALYSIS

PRODUCT: Penicillin G Positive Tablet
(5.0 ml, 5.0 ± 0.5 ppb or 6.25 ml, 4.0 ± 0.4 ppb)

LOT NUMBER: STDP-024B

EXPIRATION DATE: October 2024

ORDER CODE: LF-PG5-TBL

DESCRIPTION: Contains 25.0 ± 2.5 ng freeze dried Penicillin G manufactured from official USP (U. S. Pharmacopeia) Reference Standard Penicillin G Potassium, catalog number 50250.

Finished product quality control approval is based on Charm II Beta-lactam Test, Charm SL Beta-lactam Test and Charm MRL Beta-lactam Test testing within acceptable variation from a master control standard or freshly made standard from USP Reference Standard Penicillin G Potassium. Shelf life studies, heat stress studies and frozen stability studies are performed to verify operator's manual claims.

PREPARED BY: Sam Atoui

SIGNATURE:

A handwritten signature in black ink, appearing to read 'Sam Atoui', is written over a horizontal line.

TITLE: Quality Assurance Documentation Manager

DATE: 04/24/2023