



659 Andover Street  
Lawrence, MA 01843-1032, USA  
Tel: 1.978.687.9200 Fax: 1.978.687.9216

## CERTIFICATE OF ANALYSIS

PRODUCT: 100 ml  $0.0080 \pm 0.0002$  IU/ml Penicillin G Standard /  
80 ml  $0.0100 \pm 0.0003$  IU/ml Penicillin G Standard

LOT NUMBER: 30331

EXPIRATION DATE: May 2019


ORDER CODE: PG008, PG008-5, PG008-10, PG008-20, PG01, PG01-5

DESCRIPTION: Contains  $0.80 \pm 0.01$  IU freeze dried penicillin G manufactured from official USP (U. S. Pharmacopeia) reference standard Penicillin G Potassium, catalog number 1502508, using analytical chemistry techniques. HPLC analysis determines that the production stock solution purity and concentration are within 6% of a fresh penicillin G potassium standard solution made directly from official USP Reference Standard. Finished product quality control approval is based on Charm II Beta-lactam Test and *B. stearothermophilus* Disc Assay testing within acceptable variation from a master control standard or a freshly made standard from USP Reference Standard Penicillin G Potassium. Shelf life studies, heat stress studies and frozen stability studies are performed to verify operator's manual claims.

PREPARATION: See operator's manual.

STORAGE: See operator's manual.

PREPARED BY: Sam Atoui

SIGNATURE: 

TITLE: Quality Assurance Documentation Manager

DATE: June 05, 2017

Nothing works like a Charm

[www.charm.com](http://www.charm.com)